


Remarks

Applicants respectfully request that the foregoing amendments be entered prior to substantive examination of the application. These changes are submitted to better reflect the subject invention.

Respectfully submitted,

FAY, SHARPE, FAGAN
MINNICH & MCKEE, LLP


Date: May 23, 2001


Scott A. McCollister
Reg. No. 33,961
1100 Superior Avenue, 7th Floor
Cleveland, Ohio 44114-2518
(216) 861-5582

CERTIFICATE OF MAILING

I hereby certify that this **PRELIMINARY AMENDMENT** is being deposited with the United States Postal Service as first class mail an envelope addressed to Assistant Commissioner for Patents, Washington, D.C. 20231, on May 23, 2001.

By: _____


George B. George



VERSION WITH MARKINGS TO SHOW CHANGES MADE

5. (Amended) The light source of claim 1 wherein said phosphor material converts UV light to visible.

6. (Amended) The light source of claim 1 wherein said UV reflecting material reflects UV light into the phosphor [layer] material.

8. (Amended) The light source of claim 1 wherein said UV reflecting material reflects at least 90% of any UV light not converted to visible light by said phosphor material.

11. (Amended) The light source of claim 10 wherein said UV reflecting material [contains] comprises about 5-80 wt% gamma alumina and about 20-95 wt% alpha alumina.

12. (Amended) The light source of claim 1 wherein said UV reflecting material is disposed as a layer adjacent to the phosphor material.

14. (Amended) The light source of claim 1 wherein said UV reflecting material is dispersed in a phosphor material containing layer.

15. (Amended) The light source of claim 14 wherein the concentration of UV reflecting material dispersed throughout the phosphor material containing layer is not greater than about 25% by volume of said phosphor material.

16. (Amended) The light source of claim 1 wherein said UV reflecting [layer] material reflects light in the range of about 350-400 nm. ____

17. (Amended) The light source of claim 1 wherein said phosphor [layer] material converts light reflected by the UV reflecting [layer] material to visible light.